

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	02/11/2016	09/22/2016	5
002 Definitions and Abbreviations	12/14/2017	05/08/2018	6
003 Ratings and Limitations	04/03/2017	05/11/2021	15
004 Summary of Special Authorizations and Limitations	09/23/1998	09/22/2016	4
007 Designated Persons	12/19/2006	05/08/2018	10
025 Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media	04/03/2017	05/08/2018	3
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	09/22/2016	3

**AOOI . Issuance and Applicability**

**HQ Control: 02/11/2016**

**HQ Revision: 05e**

a. These operations specifications are issued to HELICOPTER SPECIALTIES INC., a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:  
Southern Wisconsin Regional Airport  
4710 South Columbia Drive  
Janesville, Wisconsin 53546

Mailing Address:  
4746 South Columbia Drive  
Janesville, Wisconsin 53546

b. The holder of these operations specifications is the holder of certificate number UOHR009X and shall hereafter be referred to as the "certificate holder".

c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.

d. U.S./EU Aviation Safety Agreement Repair Station/Maintenance Organization Approvals not authorized.

e. The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.


Delegated authorities : None

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Connie A Martin, Principal Maintenance Inspector (GL13)  
[!] EFFECTIVE DATE: 9/22/2016, [2] AMENDMENT#: 5  
DATE: 2016.09.22 06:54:33 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

  
Freeman, James P., President

G  
Date

**A002 . Definitions and Abbreviations**

**HQ Control: 12/14/2017**

**HQ Revision: 05d**

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

<b>BASA</b>	The Bilateral Aviation Safety Agreement (BASA) is an executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.
<b>Certificate Holder</b>	In these operations specifications, the term "certificate holder" means the holder of the repair station certificate described in these operations specifications in Part A paragraph A00 I and any of its officers, employees, or agents used in the conduct of operations under this certificate.
<b>CAAS</b>	Civil Aviation Authority of Singapore
<b>CFR</b>	Code of Federal Regulations
<b>Class Rating</b>	As used with respect to the certification, ratings, privileges of airframes, powerplants, propellers, radios, instruments, and accessories within a category having similar operating characteristics.
<b>EASA</b>	European Aviation Safety Agency
<b>EASA Accountable Manager</b>	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full-member Authority.
<b>EU</b>	European Union
<b>Exemption</b>	An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of 14 CFR Part 11.
<b>FOCA</b>	Federal Office of Civil Aviation
<b>FAA Accountable Manager</b>	A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

<b>Geographic Authorization</b>	Authorization provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.-registered aircraft under 14 CFR Part 129) at a location other than the repair station's main facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.
<b>Limited Rating</b>	A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
<b>Limited Ratings - Specialized Services</b>	Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.
<b>Line Maintenance</b>	Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
<b>MAG</b>	The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the EASA Agreement, Annex 2, Maintenance. The term Maintenance Agreement Guidance (MAG) defines the processes and activities applicable to a specific country under an MIP, and is not associated with the EASA Agreement.
<b>Maintenance</b>	The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.
<b>U.S./EU Aviation Safety Agreement, Annex 2, Maintenance</b>	Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.
<b>MIP</b>	Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance performed under 14 CFR Part 145, Section 145.53(b).
<b>MOE</b>	A maintenance organization exposition (MOE) pertains to procedural manuals used by maintenance organizations certificated by a foreign country. The MOE along with the FAA Supplement, sets forth the structure and procedures of the repair station to meet the requirements of 14 CFR Part 145 under a MIP.

**Preventive  
Maintenance**

As defined in 14 CFR part 1 and part 43 appendix A,  
subparagraph (c).

**QCM**

Quality Control Manual

**Repair Station located  
in the United States**

. A FAA certificated repair station located in the United States.

**Repair Station located  
outside the United  
States**

AF AA certificated repair station located outside of the United States.

**RSM**

Repair Station Manual

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Peter Corrao, Principal Avionics Inspector (GLI 3)  
[1] EFFECTIVE DATE: 5/8/2018, [2] AMENDMENT#: 6  
DATE: 2018.05.08 12:58:52-05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

AVMUQ P 7 IAJ/11W'-CIIV'  
Freeman, James P., President

**#!3**

Date

**A003 . Ratings and Limitations**

**HQ Control: 04/03/2017**

**HQ Revision: Ola**

The certificate holder is authorized the following Ratings and/or Limitations:

**Class Ratings**

None Authorized

**Limited Ratings**

<b><u>Rating</u></b>	<b><u>Manufacturer</u></b>	<b><u>Make/Model</u></b>	<b><u>Limitations</u></b>
Airframe	Agusta	109 - Series	Excluding Overhaul.
		119 - Series	Performance of modifications in accordance with FAA approved data.
	Bell Helicopter	47 - Series	Excluding Overhaul.
		206 - Series	Excluding Overhaul.
		222 - Series	Excluding Overhaul.
		230 - Series	Excluding Overhaul.
		407 - Series	Excluding Overhaul.
		429 - Series	Excluding Overhaul.
		505 - Series	Excluding Overhaul.
	Enstrom	F28 - Series	Excluding Overhaul.
		TH28 - Series	Excluding Overhaul.
		280 - Series	Excluding Overhaul.
		480 - Series	Excluding Overhaul.
	Airbus Helicopters	AS 350 - Series	Excluding Overhaul.
		AS 355 - Series	Excluding Overhaul.
		AS 365 - Series	Excluding Overhaul.
		BO 105 - Series	Excluding Overhaul.
		BK 117 - Series	Excluding Overhaul.
		EC 120 - Series	Excluding Overhaul.
		EC 130 - Series	Excluding Overhaul.

<b><u>Rating</u></b>	<b><u>Manufacturer</u></b>	<b><u>Make/Model</u></b>	<b><u>Limitations</u></b>
		EC 135 - Series	Excluding Overhaul.
		H 155 - Series	Excluding Overhaul.
	MD Helicopters	369 - Series	Excluding Overhaul.
	Robinson Helicopter	R22 - Series	Excluding Overhaul.
		R44- Series	Excluding Overhaul.
		R66 - Series	Excluding Overhaul.
	Various	Avionics Systems	Perform the installation of radio systems in aircraft, including the weight and balance report.
PowerPlant	Honeywell/Lycoming	LIS 101- Series.	Excluding Overhaul.
	Lycoming	Direct Drive Piston Engines	Excluding Overhaul.
	Pratt & Whitney Canada	PW 206/207 - Series	Excluding Overhaul.
	Rolls/Royce/Allison	250 - Series	Excluding Overhaul.
		RR - 300 Series	Excluding Overhaul.
	Turbomeca	Arriel - Series	Excluding Overhaul.
		Arrius - Series	Excluding Overhaul.
Instruments	Various	Standard altimeter	Adjustment and calibration , by external accessible methods only, in accordance with appendix B of the Helicopter Specialties Inspection Procedures Manual.
	Various	Encoding altimeters and remote altitude reporting devices	Adjustment and calibration, by external accessible methods only, in accordance with manufacturers maintenance manuals.
	Various	Standard, encoding altimeters and remote reporting devices	Test and certify in accordance with FAR 43 appendix E.
	Various	Vacuum and electrical operated gyroscopic flight instruments	Installation, on aircraft troubleshooting and component replacement.



<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
	Various	Magnetic Compass	Installation, on aircraft adjustment and component replacement.
Radio	Various	Avionic systems	On aircraft, installation, test and troubleshoot in accordance with manufacturers maintenance manuals or aircraft approved inspection program.
	Various	Transponder systems	Transponder tests in accordance with FAR 43 appendix F.
	Various	Headsets and Helmets	Inspection, repair, component replacement and testing.

**Limited Rated Specialized Services**


<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
None Authorized.		

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Connie A Martin, Principal Maintenance Inspector (GL13)  
[1] EFFECTIVE DATE: 5/11/2021, [2] AMENDMENT#: 15  
DATE: 2021.05.11 13:03:31 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

 11/2021-05/2021 ftij/

James P. Freeman, President

Date

**A007 . Designated Persons**

**HQ Control: 12/19/2006**

**HQ Revision: 030**

- a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below .

**Table 1 - Designated Persons to Apply for and receive Operations Specifications**

Title	Name	Parts Authorized
Agent for Service/ President	Freeman, James P.	A,D
FAA Accountable Manager, 145 / ChiefInspector	Theis, Richard J.	

- b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

**Table 2 - Designated to Receive INFO Messages**

Name	Email Address	Telephone No.	Type of Information to Receive
Theis, Richard J.	rick@helicopterspecialties.net	608-758-1701	ALL

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Peter Corrao, Principal Avionics Inspector (GL13)

[1] EFFECTIVE DATE: 5/8/2018, [2] AMENDMENT #: 10

DATE: 2018.05.08 13:45:01 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

fJJ P'2     ::/2\$e

kman, Jame; P., President

Date

**A004 . Summary of Special Authorizations and Limitations**

**HQ Control: 09/23/1998**

**HQ Revision: 010**

**a. The certificate holder, in accordance with the reference paragraphs, is authorized to:**

	Reference Paragraphs
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Pe for work, xcluding ontinuous operations, at additional locations other than D at its pnmary Fixed Location.	100

**b. The certificate holder is *not authorized and shall not*:**


	Reference Paragraphs
Use Exemptions.	A005
Perform maintenance with EASA ratings where the scope of work is authorized A0 0 by a BASA/MAG (U.S.-EU), MIP/MaG (U.S.-Swiss).	6
Pe!-form work, including.continuous operations, at additional locations other than Al at its pnmary fixed location.	01
Perform maintenance in accordance with foreign repair station geographic authorizations .	BOSO
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating non-US. registered aircraft in conunon carriage under Part 129, apart from DIOO which authorizes that work away from station.	D107

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Connie A Martin, Principal Maintenance Inspector (GL13)  
[1] EFFECTIVE DATE: 9/22/2016, [2] AMENDMENT#: 4  
DATE: 2016.09.22 06:54:49 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

  
James P. Freeman **Gt.-t \$f6**  
Freeman, James P., President Date

**A025 . Electronic/Digital Recordkeeping System,  
Electronic/Digital Signature, and Electronic Media**

**HQ Control: 04/03/2017**

**HQ Revision: 00b**

a. The certificate holder is authorized to use an acceptable electronic/digital recordkeeping system, described and/or referenced in this paragraph (if none, enter N/A.)

Authorized to use the EBS 3.1 or later revision computer software system for work order discrepancy status, inventory control, parts ordering, receiving, and traceability. Reference Section VIII of the Repair Station Manual and Section III of the Quality Control Manual.

b. The certificate holder is authorized the use of the following electronic/digital signature procedures (if none, enter "N/A").

Electronic signature is authorized in the EBS 3.1 or later revision computer software system to acknowledge acceptance of various inspections or persons performing work not to include approval for return to service.

c. The certificate holder is authorized to use electronic media for the repair station and quality control manuals, if acceptable (if none, enter "N/A").


N/A

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Peter Corrao, Principal Avionics Inspector (GL13)  
[1] EFFECTIVE DATE: 5/8/2018, [2] AMENDMENT#: 3  
DATE: 2018.05.08 12:58:46 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

  
Freeman, James P., President

  
Date

**A449 . Antidrug and Alcohol Misuse Prevention Program**

**HQ Control: 07/17/2009**

**HQ Revision: OOa**

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and /or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

**Table 1**

<b>Location &amp; Telephone of Antidrug and Alcohol Misuse Prevention Program Records:</b>	
<b>Telephone Number:</b>	(608)75f 1701
<b>Address:</b>	4710 South Columbia Drive
<b>Address:</b>	N/A
<b>City:</b>	Janesville
<b>State:</b>	WI
<b>Zip code:</b>	53546

- d. Limitations and Provisions.
  - (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
  - (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
    - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
    - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
  - (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
  - (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.


The certificate holder has fewer than 50 safety-sensitive employees.

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Connie A Martin, Principal Maintenance Inspector (GL13)  
[1] EFFECTIVE DATE: 9/22/2016, [2] AMENDMENT#: 3  
DATE: 2016.09.22 06:55:00 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

  
Freeman, James P., President

1;6  
Date

Table of Contents

Part D

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
100 Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	09/22/2016	3



**D100. Work to be Performed at a Place Other Than the Repair Station Fixed Location(s) HQ Control: 11/16/2004  
HQ Revision: 050**

- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A00 I, and paragraph AIOI if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

**Table I**

<b>Work Authorized</b>	<b>Repair Stations Manual References</b>	<b>Quality Control Manual References</b>
Helicopter Specialties, Inc. may perform maintenance at a location other than the repair station.	Reference Helicopter Specialties, Inc. Repair Station Manual, Section VI, page 1.	Reference Helicopter Specialties, Inc. Quality Control Manual, Section VI, page I.

- b. The certificate holder **may not perform continuous** operation at a facility other than the station's Fixed Location listed in paragraph A00I, and paragraph AIOI if issued.
- c. **Line Stations**. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table I are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Connie A. Maiin, Principal Maintenance Inspector (GL13)

[1] EFFECTIVE DATE: 9/22/2016, [2] AMENDMENT #: 3

DATE: 2016.09.22 06:55:03 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.



Freeman, James P., President

**#6**

Date